


PROFESSIONAL MANUFACTURES JIG SAW/DRILLS/ANGLE GRINDER/POLISHERS
BLOWERS/SANDERS/RECIPROCATING SAW/DIE GRINDER ETC.



KRAIN
PROFESSIONAL MANUFACTURER

2022-2023 PRODUCT CATALOG



KRAIN

武义众顺工具有限公司
WUYI KRAIN TOOLS CO.,LTD

浙江省金华市武义县泉溪镇下宅口村泉深线

ADD: Quanshen Road ,Xiazhaikou Village,Quanxi Town,Wuyi City,
Jinhua,Zhejiang Province,China


E-mail:henry_tools@hotmail.com

Whatsapp/Wechat:+86 13758983426

Skype: henry19880312

website:①kraitools.en.made- in-china.com ②www.zjkRAIN.com ③www.kraitools.com

wechat scan





KRAIN

JIG SAW/DRILLS/ANGLE GRINDER/POLISHERS/BLOWERS SANDERS/RECIPROCATING SAW/DIE GRINDER ETC.



ABOUT KRAIN

WUYI KRAIN TOOLS CO., LTD IS LOCATED IN QUANXI TOWN,WUYI CITY,ZHEJIANG PROVINCE,COVERED AN AREA OVER 8000 SQUARE METERS,MORE THAN 100 STAFFS AND SPECIALIZES IN THE PRODUCTION OF JIG SAW/DRILLS/ANGLE GRINDER/POLISHERS/BLOWERS/SANDERS/RECIPROCATING SAW/CHAIN SAW AND BRUSH CUTTER FOR 10 YEARS.PRODUCTS HAVE PASSED CCC/CE/GS/EMC/ROHS CERTIFICSTES. OUR FACTORY NAMES ARE WUYI ZHONGSHUN TOOLS CO., LTD. (AT 3RD FLOOR PRODUCTION OF ELECTRIC TOOLS) AND ZHEJIANG QUANTOU INTELLIGENT TECHNOLOGY CO., LTD. (AT 4TH FLOOR PRODUCTION OF GARDEN TOOLS) WUYI KRAIN TOOLS CO., LTD. FOR EXPORT.AND FACTORY 2ND FLOOR IS MOTOR WROKSHOP 1ST FLOOR IS WAREHOUSE. THE PRODUCTS ARE SELLING WELL IN THE MIDDLE EAST,EASTERN EUROPE, SOUTH ASIA AND SOUTH AMERICA MARKET. WELCOME TO US,WE'LL BE YOUR RELIABLE PARTNER AND GOOD FRIEND!



JIG SAW

JS8005

850 W

NEW

SDS



LED LIGHT
ILLUMINATES WORK AREA

Rated Input Power:	850 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	80mm
Steel 90° :	8mm
Voltage/Frequency:	220~240V,50/60Hz

JS6506

710 W

NEW

SDS



LED LIGHT
ILLUMINATES WORK AREA

Rated Input Power:	710 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	65mm
Steel 90° :	6mm
Voltage/Frequency:	220~240V,50/60Hz

JS5509

500 W

NEW

SDS



Rated Input Power:	500 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	55mm
Steel 90° :	4mm
Voltage/Frequency:	220~240V,50/60Hz

JIG SAW

JS8007

800 W

NEW

SDS



LED LIGHT
ILLUMINATES WORK AREA

Rated Input Power:	800 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	80mm
Steel 90° :	8mm
Voltage/Frequency:	220~240V,50/60Hz

JS6503

710 W

SDS



Rated Input Power:	710 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	65mm
Steel 90° :	6mm
Voltage/Frequency:	220~240V,50/60Hz

JSM001

710 W

2 in 1 Multi

Rated Input Power:	710 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	65mm
Steel 90° :	6mm
Voltage/Frequency:	220~240V,50/60Hz

JIG SAW

JS8002

850 W

SDS



LED LIGHT
ILLUMINATES WORK AREA

Rated Input Power:	850 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	80mm
Steel 90° :	8mm
Voltage/Frequency:	220~240V,50/60Hz

JS6504

710 W

SDS



LED LIGHT
ILLUMINATES WORK AREA

Rated Input Power:	710 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	65mm
Steel 90° :	6mm
Voltage/Frequency:	220~240V,50/60Hz

JS5502

500 W

Rated Input Power:	500 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	55mm
Steel 90° :	4mm
Voltage/Frequency:	220~240V,50/60Hz

JIG SAW

JS8003

800 W

SDS



Rated Input Power:	800 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	80mm
Steel 90° :	8mm
Voltage/Frequency:	220~240V,50/60Hz

JS6505

650 W

NEW

SDS



Rated Input Power:	650 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	65mm
Steel 90° :	6mm
Voltage/Frequency:	220~240V,50/60Hz

JS5505

500 W

Rated Input Power:	500 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	55mm
Steel 90° :	4mm
Voltage/Frequency:	220~240V,50/60Hz

JIG SAW

JS6501

710 W

SDS



Rated Input Power:	710 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	65mm
Steel 90° :	6mm
Voltage/Frequency:	220~240V,50/60Hz

JS6502

710 W

SDS



Rated Input Power:	710 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	65mm
Steel 90° :	6mm
Voltage/Frequency:	220~240V,50/60Hz

JS5501

500 W

Rated Input Power:	500 W
No load speed:	0-3000 r/min
Max Cutting Capacity	
Wood 90° :	55mm
Steel 90° :	4mm
Voltage/Frequency:	220~240V,50/60Hz

JIG SAW

JS5504

450 W

Rated Input Power:	450 W
No load speed:	3000 r/min
Max Cutting Capacity	
Wood 90° :	55mm
Steel 90° :	4mm
Voltage/Frequency:	220~240V,50/60Hz

JS5503

450 W

Rated Input Power:	450 W
No load speed:	3000 r/min
Max Cutting Capacity	
Wood 90° :	55mm
Steel 90° :	4mm
Voltage/Frequency:	220~240V,50/60Hz

JS5506

450 W

Rated Input Power:	450 W
No load speed:	3000 r/min
Max Cutting Capacity	
Wood 90° :	55mm
Steel 90° :	4mm
Voltage/Frequency:	220~240V,50/60Hz

IMPACT DRILL

ID05

710 W



Rated Input Power:	710 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID06

500 W



Rated Input Power:	500 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

DW13

710 W



Rated Input Power:	710 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

IMPACT DRILL

ID04

600 W



Rated Input Power:	600 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

YAT13

600 W



Rated Input Power:	600 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID09

600 W



Rated Input Power:	600 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

IMPACT DRILL

ID500

**710 W
650 W**



Rated Input Power:	710 W/650 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID700

900 W



Rated Input Power:	900 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID900

950 W



Rated Input Power:	950 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

IMPACT DRILL

ID1017

1050 W



Rated Input Power:	1050 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID1630

710 W



Rated Input Power:	710 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID08

600 W



Rated Input Power:	600 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

IMPACT DRILL

ID400

500 W



Rated Input Power:	500 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID600

650 W



Rated Input Power:	650 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID650

650 W



Rated Input Power:	650 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

IMPACT DRILL

ID7136

600 W



Rated Input Power:	600 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID13RE

**710 W
500 W**



Rated Input Power:	710 W/500 W
No load speed:	0-3000 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ID7137

500 W



Rated Input Power:	500 W
No load speed:	0-2800 r/min
Drilling Capacity Steel :	10mm
Concrete :	13mm
Wood :	25mm
Voltage/Frequency:	220~240V,50/60Hz

ELECTIC DRILL

ZED001
500 W



Rated Input Power: 500 W
No load speed: 0-3000 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ZED004
500 W



Rated Input Power: 500 W
No load speed: 0-3000 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ZED005
500 W



Rated Input Power: 500 W
No load speed: 0-3000 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ZED007
500 W



Rated Input Power: 500 W
No load speed: 0-3000 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ELECTIC DRILL

ZED006
500 W



Rated Input Power: 500 W
No load speed: 0-3000 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ZED003
550 W



Rated Input Power: 550 W
No load speed: 0-3000 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

TD001
280 W



Rated Input Power: 280 W
No load speed: 0-750 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ELECTRIC SCREWDRIVER

TD002-1/-2
280 W



Rated Input Power: 280 W
No load Speed I: 0-750 r/min
No load Speed II: 0-550/0-1100r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ELECTRIC SCREWDRIVER

TD009
280 W



Rated Input Power: 280 W
No load speed: 0-750 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

TD004-1/-2
280 W



Rated Input Power: 280 W
No load Speed I: 0-750 r/min
No load Speed II: 0-550/0-1100r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

TD005
280 W



Rated Input Power: 280 W
No load speed: 0-750 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

TD006
280 W



Rated Input Power: 280 W
No load speed: 0-750 r/min
Drilling Capacity: 10mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ANGLE GRINDER

AG005
600 W
710 W
850 W



Rated Input Power: 600 W / 710 W / 850 W
No load speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG006
1100 W



Rated Input Power: 1100 W
No load speed: 11000 r/min
Disc size: 115/125/150mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG007
2100 W



Rated Input Power: 2200 W
No load speed: 6500 r/min
Disc size: 180/230mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ANGLE GRINDER

AG008
900 W



Rated Input Power: 900 W
No load speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG900
850 W



Rated Input Power: 850 W
No load speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG001
780 W



Rated Input Power: 780 W
No load speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ANGLE GRINDER

AG9556L
850 W



Rated Input Power: 850 W
No load speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG9512B
950 W



Rated Input Power: 950 W
No load speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG1814
1400 W



Rated Input Power: 1400 W
No load speed: 8500 r/min
Disc size: 180mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ANGLE GRINDER

AG706S

850 W
1100 W



Rated Input Power: 850 W / 1100 W
No land Speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG71006X

850 W



Rated Input Power: 850 W
No land Speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG71006L

950 W



Rated Input Power: 950 W
No land Speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG9553

850 W



Rated Input Power: 850 W
No land Speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ANGLE GRINDER

AG9213

850 W



Rated Input Power: 850 W
No land Speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG9-100

850 W



Rated Input Power: 850 W
No land Speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG954

580 W



Rated Input Power: 580W
No land Speed: 11000 r/min
Disc size: 100mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG90

680 W



Rated Input Power: 680 W
No land Speed: 11000 r/min
Disc size: 100/115/125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

SLOTING MACHINE ANGLE GRINDER

SM2800-195

2800 W



Disc Diameter: 195mm
Cutting depth: 1-7cm
Rated Input Power: 2800W
No-load Speed: 8000r/min
Rated Frequency: 50/60Hz
Rated Voltage: 220-240V~

AG230D

2400 W



Rated Input Power: 2400 W
No land Speed: 6000 r/min
Disc size: 230mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG230A

2400 W



Rated Input Power: 2400 W
No land Speed: 6000 r/min
Disc size: 230mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

AG7020

2600 W



Rated Input Power: 2600 W
No land Speed: 6000 r/min
Disc size: 230mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

CAR POLISHER

P1L-ZS3-180

1300 W



Rated Input Power: 1300 W
No land Speed: 600~3000 r/min
Disc size: 150/180mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

P1L-ZS2-180

950 W
1200 W



Rated Input Power: 950/1200 W
No land Speed: 600~3000 r/min
Disc size: 180mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

P1L-ZS-180

1400 W



Rated Input Power: 1400 W
No land Speed: 600~3000 r/min
Disc size: 180mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

DUAL ACTION POLISHER

DP7150C

980 W



Rated Input Power: 980 W
No land Speed: 2800~5800 r/min
Disc size: 125/150mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

DP503

1100 W



Rated Input Power: 1100 W
No land Speed: 2000~6400 r/min
Disc size: 150mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

CORDLESS POLISHER

CP6000

12 V



Voltage: 12V
No land Speed: 2800-5500 r/min
Disc size: 125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

CAR POLISHER

CP6403

450 W



Rated Input Power: 450 W
No land Speed: 0~2800 r/min
Disc size: 125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

CP6010

650 W



Rated Input Power: 650 W
No land Speed: 700~4000 r/min
Disc size: 125mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

CP7000

950 W



Rated Input Power: 950 W
No land Speed: 600~2000r/min
Disc size: 180mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

CORDLESS JIG SAW

CORDLESS DRILL

CORDLESS IMPACT WRENCH

CORDLESS DRILL

JSL80-1

21 V



Rated Voltage:	21V
Max cutting Capacity	
Wood 90° :	80mm
Steel 90° :	6mm
No Load Speed	0-3000 r/min
With laser,LED	220~240V,50/60Hz

BCD0114S

21 V



Rated Voltage:	21V
Drilling Diameter of chuck:	10mm
Max Torque:	40N.m
No-load speed:	0-450/0-1550rpm

BIW0109B

21 V



Rated Voltage :	21V
Max Torque:	350N.m
No-load Speed:	0-3000rpm
Impact rate:	3000bpm

CD12V-1

16.8 V



Rated Voltage :	16.8V
No-load Speed :	0-350/0-1400rpm
Max Torque:	22N.m
Max Diameter of Chuck:	10mm

CD16.8V-1

16.8 V



Rated Voltage :	16.8V
No-load Speed :	0-350/0-1400rpm
Max Torque:	22N.m
Max Diameter of Chuck:	10mm

CD21V-1

21 V



Rated Voltage :	21V
No-load Speed :	0-350/0-1400rpm
Max Torque:	28N.m
Max Diameter of Chuck:	10mm

BCD21V-1

21 V



Rated Voltage:	21V
Drilling Diameter of chuck:	10mm
Max Torque:	35N.m
No-load speed:	0-450/0-1550rpm
With Impact function	

CORDLESS ANGLE GRINDER

CORDLESS ANGLE GRINDER

CORDLESS RECIPROCATING SAW

CORDLESS DRILL

BAG102A

21 V



Rated Voltage:	21V
No-load Speed:	7500rpm
Rate Power:	700W
Disc Dia.Of Wheel:	100/115/125mm

BRH2601

21 V



Rated Voltage:	710 W
Drill Capacity:	0-3000 r/min
No Load Speed:	65mm
Hammer Speed:	6mm
Drilling Diameter of chuck:	220~240V,50/60Hz

BRS2201

21 V



Rated Voltage:	21V
No Load Speed:	0-2700rpm
Reciprocating Stroke:	22 mm

CD12V-2

12 V



Rated Voltage :	12V
No-load Speed :	0-350/0-1400rpm
Max Torque:	18N.m
Max Diameter of Chuck:	10mm

CD16.8V-2

16.8 V



Rated Voltage :	16.8V
No-load Speed :	0-350/0-1400rpm
Max Torque:	22N.m
Max Diameter of Chuck:	10mm

CD21V-2

21 V



Rated Voltage :	16.8V
No-load Speed :	0-350/0-1400rpm
Max Torque:	22N.m
Max Diameter of Chuck:	10mm

CD21V-4

21 V



Rated Voltage :	21V
No-load Speed :	0-350/0-1400rpm
Max Torque:	28N.m
Max Diameter of Chuck:	10mm

CORDLESS CHAIN SAW

CORDLESS BLOWER

ELECTRIC TILE LAYING VIBRATOR MACHINE

CORDLESS DRILL

BCS8022

21 V



Rated Voltage:	21V
No-load Speed:	2800rpm
Bar&Chain size:	12inch

BCS8022

21 V



Rated Voltage:	21V
No-load Speed:	3000-13000rpm
Max. Blowing Rate:	2.6m³/min

TLV21V

21 V



Rated Voltage:	21V
Vibration frequency:	100-25000r/min
Sucker diameter:	160mm
Adsorption weight:	60KG
Scope of application:	tiles within 30-250cm

CD12V-3

12 V



NEW

Rated Voltage :	12V
No-load Speed :	0-350/0-1400rpm
Max Torque:	18N.m
Max Diameter of Chuck:	10mm

CD16.8V-3

16.8 V



NEW

Rated Voltage :	16.8V
No-load Speed :	0-350/0-1400rpm
Max Torque:	22N.m
Max Diameter of Chuck:	10mm

CD21V-3

21 V



NEW

Rated Voltage :	21V
No-load Speed :	0-350/0-1400rpm
Max Torque:	28N.m
Max Diameter of Chuck:	10mm

CD21V-6A

21 V



NEW

Rated Voltage :	21V
No-load Speed :	0-350/0-1400rpm
Max Torque:	28N.m
Max Diameter of Chuck:	10mm

ELECTRIC PLANER

EP570
570 W



Rated Input Power: 570W
No load Speed: 15000r/min
Drilling Capacity: 82x1mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

EP600
600 W



Rated Input Power: 600W
No load Speed: 15000r/min
Drilling Capacity: 82x1mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

EP650
650 W



Rated Input Power: 650W
No load Speed: 16000r/min
Drilling Capacity: 90x2mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

FS180
180 W



Base Plate Size: 93x185mm
Rated Input Power: 180W
No load Speed: 10000r/min
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

FINISHING SANDER

FS230
230 W



Base Plate Size: 100x110mm
Rated Input Power: 230W
No load Speed: 14000r/min
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

FS240
240 W



Base Plate Size: 100x110mm
Rated Input Power: 240W
No load Speed: 16000r/min
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

EOS560
560 W



Base Plate Size: 125mm
Rated Input Power: 560W
No load Speed: 0-3000r/min
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ELECTRIC TRIMMER

ER3706
550 W



Chuck Diameter: 6.35mm
Rated Input Power: 550W
No-Load Speed: 30000/min
Rated Frequency: 50Hz
Rated Voltage: 230V~

ELECTRIC TRIMMER

ET3709-2
710 W



Collet Diameter: 6/8mm
Rated Input Power: 710W
No-Load Speed: 10000-30000r/min
Rated Frequency: 50/60Hz
Rated Voltage: 220-240V~

ER3612
1600 W



Chuck Diameter: 12mm(1/2")
Rated Input Power: 1600W
No-Load Speed: 23000/min
Rated Frequency: 50/60Hz
Rated Voltage: 220-240V~

ER1200-8
1500 W



Rated Input Power: 1500W
No load Speed: 6000~22000r/min
Collet Capacity: 12mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

ER3612C
2400 W



Chuck Diameter: 12mm(1/2")
Rated Input Power: 2400W
No-Load Speed: 9000-23500/min
Rated Frequency: 60Hz
Rated Voltage: 220-240V~

RECIPROCATING SAW

RS750-22
750 W



Rated Input Power: 750 W
No load Speed: 0-2800 r/min
Stroke length: 22mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

RS710-20
710 W



Rated Input Power: 710 W
No load Speed: 0-2800 r/min
Stroke length: 20mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

RS850-28
850 W



Rated Input Power: 850 W
No load Speed: 0-2800 r/min
Max Cutting Capacity: 28mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

DIE GRINDER

DG720
550 W



Collet Diameter: 6mm
Rated Input Power: 550W
No-Load Speed: 30000r/min
Rated Frequency: 50/60Hz
Rated Voltage: 220-240V~

DIE GRINDER

DG721
550 W



Collet Diameter: 6mm
Rated Input Power: 550W
No-Load Speed: 5500-30000r/min
Rated Frequency: 50/60Hz
Rated Voltage: 220-240V~

DG615
150 W



Collet Diameter: 3.2mm
Rated Input Power: 150W
No-Load Speed: 10000-32000r/min
Rated Frequency: 50/60Hz
Rated Voltage: 220-240V~

189PCS GRINDER SET

DG218-615



Collet Diameter: 3.2mm
Rated Input Power: 150W
No-Load Speed: 10000-32000r/min
Rated Frequency: 50/60Hz
Rated Voltage: 220-240V~

191PCS GRINDER SET

DG6058



Collet Diameter: 3.2mm
Rated Input Power: 150W
No-Load Speed: 10000-32000r/min
Rated Frequency: 50/60Hz
Rated Voltage: 220-240V~

BELT SANDER

S1T-ZS-76
1050 W



Rated Input Power: 1050W
No-load Speed: 0-2800r/min
Sand paper size: 76x533mm
Rated Voltage: 220-240V
Rated Frequency: 50-60Hz

BURNISHING MACHINE

BM1500
1500 W



Rated Input Power: 1500W
No-load Speed: 600-3500r/min
Max Disc Diameter: φ120x100mm
Rated Voltage: 220-240V
Rated Frequency: 50/60Hz

DRY WALL SANDER

DWS950
950 W



Rated Input Power: 950W
No load Speed: 1100~2150r/min
Disc size: 180mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz

DWS950L
950 W



Rated Input Power: 950W
No load Speed: 1100~2150r/min
Disc size: 180mm
Rated Voltage: 220~240V
Rated Frequency: 50/60Hz